



目錄

4
4
5
5
6

管理方面

12 1
13
13
14 2
15
16
17
18

20 3
21
21
22 4
23
23
23
23
24 5
25
26
27

環境方面


30 1
31
31
31
31

32 2
33
36
37
38 3
39
40
42 4
43
45
46 5
47
49


57
58
59
60 2
61
62
63
64 3
65
68

社會方面


52 1
53
55
56



關於本報告



持份者的參與和 重要性



本集團的可 續性
任務及願 景


持份者回饋

獎項與認證




- GB/T 24001-2004 ISO 14001-2004





ISO 50001:2011



Oeko-Tex 100¹



TESTEX AG,

1




STeP



TESTEX AG,

1




2015




2016



2016



1



1



1

管治
方面

1 管理提升

1.1

Total Productive
Maintenance (TPM)

1.2

▶

▶

▶

▶

▶

▶

▶

▶

▶

iv


—

2 裝備更新

2016 2011
('000)
('000)
('000)

2.2

('000)



2.4

A 3D-style grid table with a green background and a grey shadow. The table has 4 columns and 5 rows. The top row has a light green header cell in the first column and three medium green cells in the other columns. The remaining four rows have a medium green cell in the first column and three light green cells in the other columns. The table is set against a white background with a grey shadow on the bottom and left sides.

3 技術改造

3.1

- ▶
- ▶
- ▶

3.2

- ▶
- ▶
- ▶

4 品質保障

4.1



4.2









5 協同發展

5.1

2013


2013-2016



5.2

2016SS			
2016AW			
2017SS			


5.3





環境 方面

1 表現摘要



2 排放



2.1

%





1

2

NO



SO



關於水煤漿鍋爐：


84%

燃燒效率

98%

燃盡率

燃燒時相對燃燒其他燃料油產出較少的氮氧化物、二氧化硫及煙塵。



環境投資佔項目投資總額




15.8%

4套
每小時
100噸

清潔循環流化床鍋爐



3 能源



3.2

本集團於報告期內共節省了44,125噸蒸氣和3,319,800千瓦時電力。

改進TC/CVC染色纖維
織物的加工

更換LED燈

4 水

4.1

江陰福匯

	≤ 60		
5	≤ 20		
	\leq	0.21	0.16
	\leq	10.29	10.96
	≤ 0.5	0.15	0.17

鹽城福滙

	≤ 60		50
5	≤ 20	17	17
	≤	6.8	7
	≤ 20	16	17
	≤	1.10	

沙田麗海

	≤ 80		
5	≤ 20	12.73	
	≤ 10		
	≤	10.40	
	≤ 0.5	0.07	0.11

4.2

- ▶
- ▶
- ▶
- ▶
- ▶



每年節省

32,100
噸水







5 廢物

5.1

1. 有害廢物

		2015	2016
		36.38	44.87
			

2. 無害廢物

		2015	2016
			
		426.30	
		80.58	67.64
		169.55	173.20
		43,877.65	42,316.15
		62,288.15	49,772.82
		108,589.48	95,196.72

99.5%
以上

纖維織物循環再用率

100%

廢紙、廢膠、廢鐵、鍋爐渣和
煤灰的循環再用率



社會 方面

1.1

2015

按性別分類



40%

女性

60%

男性

2016

按性別分類




41%

女性

59%


男性




1.2

為保證員工在生產與營運過程的安全，生產基地向員工提供適當的個人防護裝備，並安排有合資格的急救人員在每個工作場所值班。

1.3



受訓僱員按性別劃分



受訓僱員按僱員類別劃分

1.4

- ▶
- ▶
- ▶
- ▶
- ▶
- ▶
- ▶



1.5

僱員必須為

18 歲

或以上

1.6


僱員於招聘、培訓及發展、升職及薪酬及福利均獲得平等機會。

2.1



—

本集團亦成立反貪污監察及調查委員會，以監察反貪污表現。於報告期內，本集團遵守中國刑法的禁止貪腐條例，並無接獲將作調查、受審或定罪的貪腐個案。





聯交所《環境、社會及管治報告指引》索引

A1:		
		28-49
		32-35
		33-34
		47
		48
		36-37
		49



B1			
			53-54. 57,59
			53-54
			不適用

B2			
			55
			55
			不適用
			55

B3			
			56
			56
			56
B4			
			58
			58
			58

—



B5			
			61
			不適用
			61

B6			
			62
			62
			不適用
			62
			62
			62

B7			
			63
			63
			63
B8			
			64-67
			64-67
			64-67



福田實業(集團)有限公司

Fountain Set (Holdings) Limited